L	Hits	Searchtext	В	Time stamp
Number		*		_
. -	1287	345/173.CCLS.	USPAT; EPO; JPO	2002/10/05 11:17
_	151	345/173.CCLS. and pressure adj sensitive	USPAT;	2002/10/04
	9.5	245/172 227	EPO; JPO	11:57
-	95	345/173.CCLS. and pressure adj sensitive and memory	USPAT; EPO; JPO	2002/10/04 11:57
_	45	345/173.CCLS. and pressure adj sensitive	USPAT;	2002/10/04
	22	and memory and microprocessor	EPO; JPO	11:57
-	23	345/173.CCLS. and pressure adj sensitive and memory and microprocessor and	USPAT; EPO; JPO	2002/10/04
	_	software		
-	2	345/173.CCLS. and pressure adj sensitive and memory and microprocessor and	USPAT; EPO; JPO	2002/10/04
		software and entertainment	шо, ого	12.14
-	27	1 1	USPAT;	2002/10/04
		microprocessor and software and entertainment	EPO; JPO	17:59
_	6	pressure adj sensitive and memory and	USPAT;	2002/10/05
		microprocessor and software and entertainment and games	EPO; JPO	18:21
_	1		USPAT;	2002/10/04
	1	-	EPO; JPO	12:40
_	1	6,332,448.pn.	USPAT; EPO; JPO	2002/10/04 12:41
-	171182	recording adj medium	USPAT;	2002/10/04
·_	4164	recording adj medium and computer adj	EPO; JPO USPAT;	12:42 2002/10/04
1	4104	readable	EPO; JPO	12:44
-	3	recording adj medium and computer adj	USPAT;	2002/10/04
_	744	readable and executable adj software recording adj medium and computer adj	EPO; JPO USPAT;	12:44
	,	readable and software	EPO; JPO	12:44
-	156	1	USPAT;	2002/10/04
_	79	readable and software and executable recording adj medium and computer adj	EPO; JPO USPAT;	12:45
		readable and software and executable and	EPO; JPO	12:47
_	53	controller recording adj medium and computer adj	USPAT:	2002/10/04
		readable and software and executable and	EPO; JPO	12:47
	53	controller and instruction recording adj medium and computer adj	USPAT;	2002/10/04
	33	readable and software and executable and	EPO; JPO	12:48
	27	controller and instruction and step	***************************************	0000/10/04
-	2'	recording adj medium and computer adj readable and software and executable and	USPAT; EPO; JPO	2002/10/04 12:48
		controller and instruction and step and	,	
_	12	maximum recording adj medium and computer adj	USPAT;	2002/10/05
		readable and software and executable and	EPO; JPO	18:22
		controller and instruction and step and		
_	9	maximum adj value recording adj medium and computer adj	USPAT;	2002/10/05
	1	readable and software and executable and	EPO; JPO	17:57
Į.		controller and instruction and step and maximum adj value and pressure		
_	9	recording adj medium and computer adj	USPAT;	2002/10/04
		readable and software and executable and	EPO; JPO	12:51
		controller and instruction and step and maximum adj value and pressure and		
		sensing		
-	1	6422943.pn.	USPAT;	2002/10/04 12:56
_	1	6375571.pn.	EPO; JPO USPAT;	2002/10/04
		_	EPO; JPO	12:57
_	1	6322448.pn.	USPAT; EPO; JPO	2002/10/04 12:57
_	1	pressure adj sensitive and memory and	USPAT;	2002/10/04
		microprocessor and software and	EPO; JPO	17:57
	<u> </u>	entertainment and instruct and depress	<u> </u>	

Search History 10/7/02 12:51:31 PM Page 1

-	50	press adj sensitive and memory and	SPAT;	2002/10/05
		micro cessor and software and game	PO; JPO	11:24
-	15	pressure adj sensitive and memory and	USPAT;	2002/10/04
		microprocessor and software and game and	EPO; JPO	17:59
		instruct	110 D D M	2002/10/04
-	8	pressure adj sensitive and memory and	USPAT;	2002/10/04 17:59
		microprocessor and software and game and	EPO; JPO	17:59
	4	instruct and push pressure adj sensitive and memory and	USPAT;	2002/10/06
_	4	microprocessor and software and game and	EPO; JPO	16:21
		instruct and push and maximum	DEO, 010	10.21
_	782	345/173.CCLS. and user	USPAT;	2002/10/05
	, 02	310, 1.0100101 44 4.001	EPO; JPO	11:17
_	56	345/173.CCLS. and user and instruct	USPAT;	2002/10/05
			EPO; JPO	11:17
-	22	345/173.CCLS. and user adj command	USPAT;	2002/10/05
			EPO; JPO	11:42
-	59	345/173.CCLS. and instruct	USPAT;	2002/10/05
	_		EPO; JPO	11:21
-	5	345/173.CCLS. and instruct adj user	USPAT;	2002/10/05
	1.5	and mamana and	EPO; JPO	11:21
-	15	pressure adj sensitive and memory and	USPAT; EPO; JPO	2002/10/05 11:33
		microprocessor and software and game and instruct	EPO; JPO	11:33
_	41	pressure adj sensitive and game and	USPAT;	2002/10/05
	41	instruct	EPO; JPO	11:27
_	3	pressure adj sensitive and game and	USPAT;	2002/10/05
	_	instruct adj user	EPO; JPO	11:29
_	693	pressure adj sensitive adj device	USPAT;	2002/10/05
			EPO; JPO	12:08
-	9	pressure adj sensitive adj device and	USPAT;	2002/10/05
		instruct	EPO; JPO	11:30
-	1	pressure adj sensitive adj device and	USPAT;	2002/10/05
	20	instruct adj user	EPO; JPO	11:31
_	29	pressure adj sensitive and memory and microprocessor and software and game and	USPAT; EPO; JPO	2002/10/05 11:33
		command	EPO, JPO	11.33
_	3	pressure adj sensitive and memory and	USPAT;	2002/10/05
	Ĭ	microprocessor and software and game and	EPO; JPO	11:33
		command adj user	,	
_	337	345/173.CCLS. and command	USPAT;	2002/10/05
			EPO; JPO	11:42
-	16	345/173.CCLS. and command adj user	USPAT;	2002/10/05
			EPO; JPO	11:42
-	1342	user adj instruction	USPAT;	2002/10/05
	1	was add instruction add mass	EPO; JPO	11:51
-	1	user adj instruction adj press	USPAT; EPO; JPO	2002/10/05 11:53
_	13	instruct adj user and maximum adj	USPAT;	2002/10/05
	13	pressure	EPO; JPO	12:04
_	34	pressure adj sensitive adj device and	USPAT;	2002/10/05
		maximum adj pressure	EPO; JPO	12:09
-	3	pressure adj sensitive adj device and	USPAT;	2002/10/05
		maximum adj pressure and command	EPO; JPO	12:10
-	10	178/19.04.ccls. and command	USPAT;	2002/10/05
1			EPO; JPO	12:15
-	1	178/19.04.ccls. and command adj user	USPAT;	2002/10/05
	_	170/10 04 223 2 224 2	EPO; JPO	12:16
-	1	178/19.04.ccls. and user adj command	USPAT;	2002/10/05
	3	178/19 04 cale and procesure add maginum	EPO; JPO	12:20 2002/10/05
-	3	178/19.04.ccls. and pressure adj maximum	USPAT; EPO; JPO	12:21
_	81	178/19.04.ccls.	USPAT;	2002/10/05
	01	1,0,10,03,0013,	EPO; JPO	12:28
_	125	computer adj instruct	USPAT;	2002/10/05
	123	100000000000000000000000000000000000000	EPO; JPO	13:16
_	10	computer adj instruct adj user	USPAT;	2002/10/05
			EPO; JPO	13:16
-	10	computer adj instruct adj user	USPAT;	2002/10/05
			EPO; JPO	13:20

	13		C 7 7 7 7	2002 (10 (05
-	13	instr adj user and maximum adj	SPAT;	2002/10/05
İ	9714	press controller and instruct	PO; JPO	14:29
-	9/14	controller and instruct	USPAT; EPO; JPO	2002/10/05
	303	controller and instruct adj user	USPAT;	2002/10/05
-	303	controller and instruct adjuser	EPO; JPO	14:30
	0	controller and instruct adj user and push	USPAT;	2002/10/05
-		and control adj element and maximum adj	EPO; JPO	14:32
		strength	EFO, OFO	14.52
_	92	controller and instruct adj user and push	USPAT;	2002/10/05
	, ,,,	controller and instruct adjuster and pash	EPO; JPO	14:32
_	0	controller and instruct adj user and push	USPAT;	2002/10/05
		and control adj element and strength	EPO; JPO	14:32
_	1	controller and instruct adj user and push	USPAT;	2002/10/05
	_	and control adj element and maximum	EPO; JPO	14:34
_	0	controller and instruct adj user and push	USPAT;	2002/10/05
		adj control adj element and maximum	EPO; JPO	14:34
-	0	controller and instruct adj user and push	USPAT;	2002/10/05
		adj control adj element	EPO; JPO	14:35
-	92	controller and instruct adj user and push	USPAT;	2002/10/05
			EPO; JPO	14:35
-	0	controller and instruct adj user and push	USPAT;	2002/10/05
-		adj maximum	EPO; JPO	14:35
-	0	controller and instruct adj user and	USPAT;	2002/10/05
		maximum adj push	EPO; JPO	14:35
-	0	controller and instruct adj user and	USPAT;	2002/10/05
		maximum adj pressure and strength	EPO; JPO	14:36
-	0	controller and instruct adj user and	USPAT;	2002/10/05
		maximum adj press and strength	EPO; JPO	14:36
_	11	controller and instruct adj user and	USPAT;	2002/10/05
		maximum adj pressure	EPO; JPO	14:36
_	1	controller and instruct adj user and push	USPAT;	2002/10/05
	12070	and control adj element	EPO; JPO	15:30
_	13879	recording adj medium and computer adj	USPAT;	2002/10/05
		readable and software and executable and controller and instruction and step and	EPO; JPO	17:55
		maximum adj valueand entertainment		
_	0	recording adj medium and computer adj	USPAT;	2002/10/05
		readable and software and executable and	EPO; JPO	17:55
		controller and instruction and step and	BEO, 010	17.33
		maximum adj value and entertainment		
_	4	pressure adj sensitive and memory and	USPAT;	2002/10/05
		microprocessor and software and	EPO; JPO	17:55
		entertainment and games and controller		1,,,,,
_	0	recording adj medium and computer adj	USPAT;	2002/10/05
		readable and software and executable and	EPO; JPO	17:57
	1	controller and instruction and step and		
		maximum adj value and pressure and games		
-	4	recording adj medium and computer adj	USPAT;	2002/10/05
	1	readable and software and executable and	EPO; JPO	18:03
		controller and games and entertainment		
-	0	entertainment adj system and	USPAT;	2002/10/05
		entertaiment adj apparatus and recording	EPO; JPO	18:05
		adj medium and program		
-	19	entertainment adj system and	USPAT;	2002/10/05
		entertainment adj apparatus and recording	EPO; JPO	18:06
		adj medium and program		0000 /10 /05
_	0	6.322,448.pn.	USPAT;	2002/10/05
	1	6 222 449 nn	EPO; JPO	18:14
-	1	6,322,448.pn.	USPAT;	2002/10/05
	1	6 322 448 nn and recording add madi	EPO; JPO	18:15
-	1	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
_	80	6 322 448 nn recording add modium and	EPO; JPO	18:16
-	80	6,322,448.pn. recording adj medium and computer adj readable and software and	USPAT;	2002/10/05
	7 11	executable and controller	EPO; JPO	18:15
_	0	6,322,448.pn. and recording adj medium	tienam.	2002/10/05
		and computer adj readable and software	USPAT;	2002/10/05
1		and executable and controller	EPO; JPO	18:17
1	.L	and evergrapte and controller	L.	i l

-	0	6,322 8.pn. and recording adj medium	SPAT;	2002/10/05
	_	and couter adj readable and software	PO; JPO	18:16
			aro, oro	10.10
	_	adj executable and controller		
_	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and computer adj readable and software	EPO; JPO	18:16
		and executable		
	l 0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
_			· · · · · · · ·	1 ' '
	_	and computer adj readable	EPO; JPO	18:16
-	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and software and executable and	EPO; JPO	18:17
		controller		1
_	1	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
	_			
	_	and controller	EPO; JPO	18:17
-	1	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and controller and software	EPO; JPO	18:17
_	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and controller and software and readable	EPO; JPO	18:18
	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
-				
		and controller and software and	EPO; JPO	18:18
1		executable		
-	1	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and controller and software and execute	EPO; JPO	18:18
_	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
			1	
	_	and controller and software adj execute	EPO; JPO	18:18
_	1	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
		and controller and software and execute	EPO; JPO	18:20
	,	and read	1	
	0	6,322,448.pn. and recording adj medium	USPAT;	2002/10/05
	·	and controller and software and execute	EPO; JPO	18:20
		and read and entertaiment	,	
			HODAM	2002/10/05
] -	0	, , ,	USPAT;	2002/10/05
1		and controller and software and execute	EPO; JPO	18:20
1	1	and read and entertainment	1	
[-	1		USPAT;	2002/10/05
	1	and controller and software and execute	EPO; JPO	18:21
		and read and games		
_	171188	pressure adj sensitive and memory and	USPAT;	2002/10/05
	1,1100	microprocessor and software and	EPO; JPO	18:22
	•		1 250, 000	10.22
		entertainment and games recording adj		
1		medium		1 0000 /55 /55
-	0	pressure adj sensitive and memory and	USPAT;	2002/10/05
		microprocessor and software and	EPO; JPO	18:22
		entertainment and games and recording		
]	adi medium	1	
_	Δ.	recording adj medium and computer adj	USPAT;	2002/10/05
1				1 ' '
	1	readable and software and executable and	EPO; JPO	18:23
		controller and entertainment and games		1
-	2101	345/156,157.ccls.	USPAT;	2002/10/06
]	1		EPO; JPO	13:20
-	2128	345/156,157.ccls. recording adj meduim	USPAT;	2002/10/06
1	_	,	EPO; JPO	13:20
+ _	0	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
	1		EPO; JPO	
	_	meduim		13:21
-	0	345/156,157.ccls. and storage adj meduim	USPAT;	2002/10/06
	1		EPO; JPO	13:20
-	35	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
1	ľ	medium	EPO; JPO	13:22
1 -	5	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
	1	medium and computer adj readable	EPO; JPO	13:21
1	2	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
		medium and computer adj readable and	EPO; JPO	13:21
	1	software		
-	0		USPAT;	2002/10/06
		medium and computer adj readable and	EPO; JPO	13:22
		software and video adj game		''
1_	0		HCDAT.	2002/10/06
I -	1		USPAT;	1
		medium and computer adj readable and	EPO; JPO	13:22
		software and entertainment		1
-	0	,,	USPAT;	2002/10/06
		medium and computer adj readable and	EPO; JPO	13:22
		entertainment		

_	0	345/1 157.ccls. and recording adj	SPAT;	2002/10/06
		medium hd computer adj readable and	PO; JPO	13:22
	_	entertain\$4		
_	5	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
	12002	medium and video adj game	EPO; JPO	13:23
_	13883	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
		medium and video adj game entertainment	EPO; JPO	13:23
_	0	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
		medium and video adj game and entertainment and computer adj readable	EPO; JPO	13:24
	1	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
_	1	medium and video adj game and	EPO; JPO	13:25
		entertainment	EPO, JPO	13.23
_	1	345/156,157.ccls. and recording adj	USPAT;	2002/10/06
	1	medium and video adj game and	EPO; JPO	13:25
		entertainment and controller		13023
_	8	pressure adj sensitive and memory and	USPAT;	2002/10/06
		microprocessor and software and game and	EPO; JPO	17:12
		entertainment	,	
_	0	pressure adj sensitive and memory and	USPAT;	2002/10/06
		microprocessor and software and game and	EPO; JPO	16:26
		entertainment and recording adj medium		
-	1	pressure adj sensitive and memory and	USPAT;	2002/10/06
		microprocessor and software and game and	EPO; JPO	16:27
		entertainment and storage adj medium and		
	_	controller		
-	1	pressure adj sensitive and memory and	USPAT;	2002/10/06
		microprocessor and software and game and	EPO; JPO	16:28
	,	entertainment and storage adj medium	HCDDM.	2002/10/06
_	1	6,322,448 B1.pn.	USPAT; EPO; JPO	2002/10/06 17:03
	1	6,322,448 Bl.pn. and pressure adj	USPAT;	2002/10/06
_		sensitive	EPO; JPO	17:03
_	1		USPAT;	2002/10/06
	_	sensitive adj device	EPO; JPO	17:03
_	1	6,322,448 B1.pn. and pressure adj	USPAT;	2002/10/06
	_	sensitive adj device and fun adj game	EPO; JPO	17:04
_	1	I	USPAT;	2002/10/06
		sensitive adj device and fun adj game and	EPO; JPO	17:05
		entertainment		
-	0	1 , , ,	USPAT;	2002/10/06
		adj device and fun adj game and	EPO; JPO	17:05
		entertainment		
-	1		USPAT;	2002/10/06
		sensitive adj device and fun adj game and	EPO; JPO	17:06
	1 _	entertainment		0000/10/06
_	1		USPAT;	2002/10/06
		sensitive adj device and fun adj game and	EPO; JPO	17:07
		entertainment and recording adj meduim	HCDATE-	2002/10/06
-	0	Fictitious adj virtual adj centripetal adj calculation and simulation aDJ system	USPAT; EPO; JPO	2002/10/06 17:08
		and pressure adj sensitive adj device	EPO, JPO	17.08
		and fun adj game and entertainment and		
		recording adj medium		
_	1	1	USPAT;	2002/10/06
	1	adj calculation and simulation aDJ system	EPO; JPO	17:08
1 _	0	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	USPAT;	2002/10/06
	1	adj calculation and simulation aDJ system	EPO; JPO	17:09
		and pressure adj sensitive adj device		
		and fun adj game and entertainment		
-	0	·	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:09
		and pressure adj sensitive adj device	1	
		and fun adj game		
-	0		USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:09
		and fun adj game	1	
-	1	, , ,	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:09
				1

	0	Fict ous adj virtual adj centripetal	SPAT;	2002/10/06
		adj coulation and simulation aDJ system	•	17:09
		and pressure adj sensitive and fun adj		2,7003
		game and entertainment and recording adj		
		medium		
_	0	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:10
		and pressure adj sensitive and	210, 010	17,110
		entertainment and recording adj medium		
_	0	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:10
		and pressure adj sensitive and		
		recording adj medium		
	1	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
]	adj calculation and simulation aDJ system	EPO; JPO	17:10
		and recording adj medium		
_	0	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:10
		and recording adj medium and fun adj		
		game and entertainment and recording adj		
		medium		1
-	0	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:10
		and recording adj medium and		
		entertainment and recording adj medium		
_	1	Fictitious adj virtual adj centripetal	USPAT;	2002/10/06
		adj calculation and simulation aDJ system	EPO; JPO	17:11
		and recording adj medium and		
		recording adj medium		
	0	pressure adj sensitive and memory and	USPAT;	2002/10/06
		microprocessor and software and game and	EPO; JPO	17:13
		entertainment and recording adj medium		1
_	0	entertainment adj system adj supply adj	USPAT;	2002/10/06
		medium and manual adj control adj input	EPO; JPO	17:20
	2	adj device and pressure adj sensitive		2002/12/12
-	3	entertainment adj system adj supply adj	USPAT;	2002/10/07
	1	medium and manual adj control adj input	EPO; JPO	11:10
		adj device	HCDAM.	2002/10/06
-	0	entertainment adj system adj supply adj	USPAT;	2002/10/06
		medium and manual adj control adj input adj device and pressure and sensitive	EPO; JPO	17.21
_ []	0	analog adj controls adj housed with	USPAT;	2002/10/06
	0	electronic adj display	EPO; JPO	17:24
_	3	analog adj controls and electronic adj	USPAT;	2002/10/06
		display	EPO; JPO	17:26
_	0	analog adj controls and electronic adj	USPAT;	2002/10/06
		display and recording adj medium	EPO; JPO	17:26
	0	analog adj controls and electronic adj	USPAT;	2002/10/06
		display and entertainment	EPO; JPO	17:26
_	1	analog adj controls and electronic adj	USPAT;	2002/10/06
		display and microprocessor	EPO; JPO	17:27
_	1	6,400,353 B1.pn.	USPAT;	2002/10/06
	_	,	EPO; JPO	17:41
	0	entertainment adj system adj supply adj	USPAT;	2002/10/07
_				1
_		medium and manual adj control adj input	EPO; JPO	11:11

	U	1	Document I	Issue Date	Pages	Ti⇔le	Current OR
1			US 5604517 A	19970218	18	Electronic drawing device	345/173
2			US 4789858 A	19881206	i	Multifunction switch incorporating NCAP liquid crystal	345/104

	Current XRef	Retrieval lassif	Inventor	s	С	P	2	3	4	5
1	434/163; 434/165	345/173	Filo, Andrew S.	\boxtimes						
2	345/173; 345/205; 349/1; 349/152; 349/158; 349/73; 349/86; 68/12.27	345/173	Fergason, James L. et al.	×						

		mage Doc. Displayed	PT	
1	US	5604517		
2	US	4789858		

	U	1	Do	cument 1	Issue Date	Pages	T.i-le	Current OR
1			US B2	6388758	20020514	138	System for scheduling an event in a device based on elapsed time or device event	358/1.13
2			US B1	6359701	20020319	142	Multi-head printing with differing resolutions	358/1.2
3			US B1	6341843	20020129	137	Ink jet printer having an ink cleaning mechanism	347/49
4			US B1	6219153	20010417	139	Printer having a memory for storing a printer profile parameter	358/1.16
5			US B1	6206506	20010327	143	Ink jet printer having an ink cleaning mechanism	347/49
6			US B1	6178009	20010123	144	Printing with multiple different black inks	358/1.9
7			US A	6134020	20001017	141	Serial printer with addressable print buffer	358/1.16
8			US A	6128098	20001003	144	Control over print head driving parameters	358/1.8
9	⊠		US A	6089772	20000718	140	Ejection tray for a printer	400/625

	Current XRef	Retrieval lassif	Inventor	S	С	Р	2	3	4	5
1	358/1.15		Kawanabe, Tetsuya et al.							
2	347/14; 347/19; 347/43; 347/49; 347/9; 358/1.12; 358/1.16; 358/404; 358/406; 358/504		Yamada, Akitoshi et al.	×						
3			Takemura, Makoto et al.	×						
4	347/14; 347/19; 347/43; 347/49; 358/1.12; 358/296; 358/504		Kawanabe, Tetsuya et al.	×						
5			Takemura, Makoto et al.	×						
6	347/15; 347/43; 358/1.8; 358/502; 382/237		Yamada, Akitoshi et al.	⊠						
7	347/37; 347/9; 358/1.13; 358/1.14; 358/1.9		Masumoto, Kazuyuki et al.	×						
8	347/14; 347/15; 347/40; 347/49; 358/1.9		Kamada, Masashi et al.	\boxtimes			. 🗆			
9	400/646; 400/647		Takemura, Makoto et al.							

		mage Doc. Displayed	PT
1	US	6388758	
2	US	6359701	
3	US	6341843	
4	US	6219153	
5	US	6206506	
6	US	6178009	
7	US	6134020	
8	US	6128098	
9	US	6089772	

10/07/2002, EAST Version: 1.03.0007

	U	1	Do	cument F	Issue Date	Pages	Tiele	Current	OR
1			US B2	6456280	20020924	11	Retrofittable apparatus for converting a substantially planar surface into an electronic data capture device	345/173	
2			US B1	6266051	20010724	12	Retrofittable apparatus for converting a substantially planar surface into an electronic data capture device	345/173	
3			US A	6067080	20000523	12	Retrofittable apparatus for converting a substantially planar surface into an electronic data capture device	345/173	
4			US A	5403251	19950404		Patient positioning system and method for computer controled muscle exercising machine	482/4	
5			US A	4916441	19900410	19	Portable handheld terminal	345/169	

	Current XRef	Retrieval	Inventor		С	Р	2	3	4	5
1	178/18.04; 345/178	345/173	Holtzman, Rafi	\boxtimes						
2	178/18.04; 345/178	345/173	Holtzman, Rafi	×						
3	178/18.09; 178/19.01; 341/5; 345/179	345/173	Holtzman, Rafi	×						
4	345/173; 482/142; 482/8; 482/902; 601/23	345/173	Belsito, Anne W. et al.	×						
5	235/380; 235/382; 235/462.45; 340/5.91; 340/7.32; 340/7.63; 341/22; 341/23; 345/173; 345/211; 455/566; 455/575; 708/141; D18/11	345/173	Gombrich, Peter P.	X						

		mage Doc. Displayed	PT
1	US	6456280	
2	US	6266051	
3	US	6067080	
4	US	5403251	
5	US	4916441	

	U	1	Document I	Issue Date	Pages	Tiele	Current OR
1			US 6456778 B2	20020924	1 1	Analog controls housed with electronic displays for video recorders and cameras	386/46
2			US 6404584 B1	20020611	1 2	Analog controls housed with electronic displays for voice recorders	360/88
3	⊠		US 4931938 A	19900605	17	Microcomputer controlled faucet	700/32

	Current XRef	Retrieval assif	Inventor		С	P	2	3	4	5
1			Armstrong, Brad A.							
2	345/159; 360/30		Armstrong, Brad A.	×						
3	236/12.12		Hass, David							

		mage Doc. Displayed	PT
1	US	6456778	
2	US	6404584	
3	US	4931938	